

Refine Search

Search Results -

Terms	Documents
((virtual or logical) near5 port) same physical same concentrator	2

Database:

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L1

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Thursday, April 20, 2006    [Printable Copy](#)    [Create Case](#)

<u>Set Name</u> <u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side		result set
DB=PGPB; PLUR=YES; OP=OR		
L1    ((virtual or logical) near5 port) same physical same concentrator	2	L1

END OF SEARCH HISTORY

# Refine Search

## Search Results -

Terms	Documents
((virtual or logical) near5 port) same concentrator	33

Database:

- US Pre-Grant Publication Full-Text Database
- US Patents Full-Text Database
- US OCR Full-Text Database
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search:

L3

Refine Search

Recall Text

Clear

Interrupt

## Search History

DATE: Thursday, April 20, 2006    [Printable Copy](#)    [Create Case](#)

**Set Name Query**  
side by side

**Hit Count Set Name**  
result set

DB=PGPB,USPT,USOC; PLUR=YES; OP=OR

<u>L3</u>	((virtual or logical) near5 port) same concentrator	33	<u>L3</u>
-----------	---	----	-----------

<u>L2</u>	((virtual or logical) near5 port) same physical same concentrator	7	<u>L2</u>
-----------	---	---	-----------

DB=PGPB; PLUR=YES; OP=OR

<u>L1</u>	((virtual or logical) near5 port) same physical same concentrator	2	<u>L1</u>
-----------	---	---	-----------

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
((virtual or logical) near5 port) same concentrator	1

Database:

- US Pre-Grant Publication Full-Text Database
- US Patents Full-Text Database
- US OCR Full-Text Database
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search:

L4

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Thursday, April 20, 2006    [Printable Copy](#)    [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L4    ((virtual or logical) near5 port) same concentrator

1    L4

DB=PGPB,USPT,USOC; PLUR=YES; OP=OR

L3    ((virtual or logical) near5 port) same concentrator

33    L3

L2    ((virtual or logical) near5 port) same physical same concentrator

7    L2

DB=PGPB; PLUR=YES; OP=OR

L1    ((virtual or logical) near5 port) same physical same concentrator

2    L1

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
(715/735   370/434   370/230   370/401   370/402   370/351   370/257   370/244   370/464   370/492   370/421   709/223   709/238   709/208   709/213   709/253   710/306   710/313   710/300   710/33   710/110   710/316   710/305   711/155   711/203   365/189.04).ccls.	23046

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L5





### Search History

DATE: Thursday, April 20, 2006    [Printable Copy](#)    [Create Case](#)

SetName Query
 side by  
side

*DB=PGPB,USPT,USOC; PLUR=YES; OP=OR*

L5 710/306,313,300,33,110,316,305;715/735;365/189.04;711/155,203;709/223,238,208,213,253;370/434,230,401,4

*DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

L4 ((virtual or logical) near5 port) same concentrator

*DB=PGPB,USPT,USOC; PLUR=YES; OP=OR*

L3 ((virtual or logical) near5 port) same concentrator

L2 ((virtual or logical) near5 port) same physical same concentrator

*DB=PGPB; PLUR=YES; OP=OR*

L1 ((virtual or logical) near5 port) same physical same concentrator

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L3 and L5	15

Database:

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L6

▲

▼

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Thursday, April 20, 2006    [Printable Copy](#)    [Create Case](#)

[Set](#)  
[Name Query](#)  
side by  
side

- DB=PGPB,USPT,USOC; PLUR=YES; OP=OR*
- [L6](#)    I3 and L5
- [L5](#)    710/306,313,300,33,110,316,305;715/735;365/189.04;711/155,203;709/223,238,208,213,253;370/434,230,401,4  
*DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*
- [L4](#)    ((virtual or logical) near5 port) same concentrator  
*DB=PGPB,USPT,USOC; PLUR=YES; OP=OR*
- [L3](#)    ((virtual or logical) near5 port) same concentrator
- [L2](#)    ((virtual or logical) near5 port) same physical same concentrator  
*DB=PGPB; PLUR=YES; OP=OR*
- [L1](#)    ((virtual or logical) near5 port) same physical same concentrator

END OF SEARCH HISTORY

Source List **Browser** Queue Clear

Q6s USPAT ☒ Plurals

Default operator: OR  ☒ Highlight all hit terms initially

[illegible]

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error Definit	Er
1	BRS	L1	0	((virtual or logical) near5 port) same conc	USPA T	2006/04/2 0 13:46			
2	BRS	L2	24	((virtual or logical) near5 port) same conc	USPA T	2006/04/2 0 13:46			
3	BRS	L3	5	((virtual or logical) near5 port) same conc	USPA T	2006/04/2 0 13:47			

	U	1	Document ID	Issue Dat	Pages	Title	Current OR	Current XR
1	<input type="checkbox"/>	<input type="checkbox"/>	US 7002976 B2	20060221	17	Virtual ethernet ports with automated router p	370/404	370/466
2	<input type="checkbox"/>	<input type="checkbox"/>	US 6834038 B1	20041221	8	Protection against master unit failure in	370/217	370/221; 714/2
3	<input type="checkbox"/>	<input type="checkbox"/>	US 6714541 B1	20040330	17	Method and apparatus for encoding bridging/s	370/392	370/401
4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6085238 A	20000704	115	Virtual LAN system	709/223	370/409; 709/243
5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6006330 A	19991221	15	Security device for ring network	726/3	370/245; 370/452;



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(( virtual&lt;in&gt;metadata ) &lt;or&gt; ( physical&lt;in&gt;metadata ) ) and physical and concent..."

Your search matched 21 of 1340257 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail
 printer friendly

## \* Search Options

[View Session History](#)[New Search](#)

## Modify Search

(( virtual&lt;in&gt;metadata ) &lt;or&gt; ( physical&lt;in&gt;metadata ) ) and physical and concentrat

[Search](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## \* Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ 1. **Evaluation of speed and area of clustered VLIW processors**  
Terechko, A.; Garg, M.; Corporaal, H.;  
[VLSI Design, 2005, 18th International Conference on](#)  
3-7 Jan. 2005 Page(s):557 - 563  
Digital Object Identifier 10.1109/ICVD.2005.95  
[AbstractPlus](#) | Full Text: [PDE](#)(280 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 2. **Advanced avionics system architecture**  
Fabian, G.R.; Rayl, T.R.;  
[Digital Avionics Systems Conference, 1998, Proceedings, 17th DASC, The AIAA/IEEE/SAE](#)  
Volume 2, 31 Oct.-7 Nov. 1998 Page(s):G24/1 - G24/8 vol.2  
Digital Object Identifier 10.1109/DASC.1998.739843  
[AbstractPlus](#) | Full Text: [PDE](#)(520 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 3. **Information technology - telecommunications and information exchange between systems - local and metropolitan area networks - specific requirements. Amendment to Part 5: token ring access method and physical layer specifications**  
[IEEE Std 802.5t-2000](#)  
10 March 2000  
[AbstractPlus](#) | Full Text: [PDE](#)(1416 KB) IEEE STD
- ☐ 4. **Communication software**  
Mills, D.L.;  
[Proceedings of the IEEE](#)  
Volume 60, Issue 11, Nov. 1972 Page(s):1333 - 1341  
[AbstractPlus](#) | Full Text: [PDE](#)(1045 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 5. **Error characteristics of fiber distributed data interface (FDDI)**  
Jain, R.;  
[Communications, IEEE Transactions on](#)  
Volume 38, Issue 8, Aug. 1990 Page(s):1244 - 1252  
Digital Object Identifier 10.1109/26.58757  
[AbstractPlus](#) | Full Text: [PDE](#)(944 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 6. **A slot-reuse protocol for rearrangeable dual-bus networks**  
Todd, T.D.; Bignell, A.M.;  
[Communications, IEEE Transactions on](#)



Volume 42, Issue 234, Part 2, February-April 1994 Page(s):1131 - 1140

Digital Object Identifier 10.1109/TCOMM.1994.580222

[AbstractPlus](#) | Full Text: [PDF](#)(944 KB) [IEEE JNL](#)

[Rights and Permissions](#)

- ☐ **7. Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Part 5: token ring access method and physical layer specifications - Corrigendum 1**  
[IEEE Std 802.5w-2000](#)  
30 May 2001  
[AbstractPlus](#) | Full Text: [PDF](#)(428 KB) [IEEE STD](#)
- ☐ **8. IEEE standard for information technology - telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements. Part 5: token ring access method and physical layer specifications. Amendment 5: gigabit token ring operation**  
[IEEE 802.5v-2001](#)  
16 Nov. 2001  
[AbstractPlus](#) | Full Text: [PDF](#)(1450 KB) [IEEE STD](#)
- ☐ **9. Onboard switching for ATM via satellite**  
Gilderson, J.; Cherkaoui, J.;  
[Communications Magazine, IEEE](#)  
Volume 35, Issue 7, July 1997 Page(s):66 - 70  
Digital Object Identifier 10.1109/35.601744  
[AbstractPlus](#) | Full Text: [PDF](#)(878 KB) [IEEE JNL](#)  
[Rights and Permissions](#)
- ☐ **10. Future Air Force Tactical Communications**  
Brick, D.; Ellersick, F.;  
[Communications, IEEE Transactions on \(legacy, pre - 1988\)](#)  
Volume 28, Issue 9, Part 1, Sep 1980 Page(s):1551 - 1572  
[AbstractPlus](#) | Full Text: [PDF](#)(2600 KB) [IEEE JNL](#)  
[Rights and Permissions](#)
- ☐ **11. Design of a High-Speed Word-Switched Transport Station**  
Morling, R.; Cain, G.; Nerl, G.; Longhi-Gelati, M.; Natali, P.;  
[Selected Areas in Communications, IEEE Journal on](#)  
Volume 1, Issue 5, Nov 1983 Page(s):740 - 750  
[AbstractPlus](#) | Full Text: [PDF](#)(1248 KB) [IEEE JNL](#)  
[Rights and Permissions](#)
- ☐ **12. Experimental evaluation of the fault tolerance of an atomic multicast system**  
Arlat, J.; Aguera, M.; Crouzet, Y.; Fabre, J.-C.; Martins, E.; Powell, D.;  
[Reliability, IEEE Transactions on](#)  
Volume 39, Issue 4, Oct. 1990 Page(s):455 - 467  
Digital Object Identifier 10.1109/24.58723  
[AbstractPlus](#) | Full Text: [PDF](#)(1268 KB) [IEEE JNL](#)  
[Rights and Permissions](#)
- ☐ **13. The intelligent network-changing the face of telecommunications**  
Robrock, R.B., II;  
[Proceedings of the IEEE](#)  
Volume 79, Issue 1, Jan. 1991 Page(s):7 - 20  
Digital Object Identifier 10.1109/5.64379  
[AbstractPlus](#) | Full Text: [PDF](#)(1352 KB) [IEEE JNL](#)  
[Rights and Permissions](#)
- ☐ **14. Physical design issues for very large ATM switching systems**  
Banwell, T.C.; Estes, R.C.; Habiby, S.F.; Hayward, G.A.; Helstern, T.K.; Lalk, G.R.; Mahoney, D.D.; Wilson, D.K.; Young, K.C., Jr;  
[Selected Areas in Communications, IEEE Journal on](#)  
Volume 9, Issue 8, Oct. 1991 Page(s):1227 - 1238  
Digital Object Identifier 10.1109/49.105169

[AbstractPlus](#) | Full Text: [PDF\(1172 KB\)](#) IEEE JNL.  
[Rights and Permissions](#)



#### 15. FDDI: current issues and future plans

Jain, R.;  
[Communications Magazine, IEEE](#)  
 Volume 31, Issue 9, Sept. 1993 Page(s):98 - 105  
 Digital Object Identifier 10.1109/35.236276  
  
[AbstractPlus](#) | Full Text: [PDF\(1216 KB\)](#) IEEE JNL.  
[Rights and Permissions](#)



#### 16. STARNET: a multi-gigabit-per-second optical LAN utilizing a passive WDM star

Kazovsky, L.G.; Poggiolini, P.T.;  
[Lightwave Technology, Journal of](#)  
 Volume 11, Issue 5, May-June 1993 Page(s):1009 - 1027  
 Digital Object Identifier 10.1109/50.233265  
  
[AbstractPlus](#) | Full Text: [PDF\(1736 KB\)](#) IEEE JNL.  
[Rights and Permissions](#)



#### 17. The single-queue switch: a building block for switches with programmable scheduling

Hashemi, M.R.; Leon-Garcia, A.;  
[Selected Areas in Communications, IEEE Journal on](#)  
 Volume 15, Issue 5, June 1997 Page(s):785 - 794  
 Digital Object Identifier 10.1109/49.594841  
  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(144 KB\)](#) IEEE JNL.  
[Rights and Permissions](#)



#### 18. Wireless infrared communications

Kahn, J.M.; Barry, J.R.;  
[Proceedings of the IEEE](#)  
 Volume 85, Issue 2, Feb. 1997 Page(s):265 - 298  
 Digital Object Identifier 10.1109/5.554222  
  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(2284 KB\)](#) IEEE JNL.  
[Rights and Permissions](#)



#### 19. Traffic descriptor mapping and traffic control for frame relay over ATM network

Dixit, S.S.; Kumar, S.;  
[Networking, IEEE/ACM Transactions on](#)  
 Volume 6, Issue 1, Feb. 1998 Page(s):56 - 70  
 Digital Object Identifier 10.1109/90.663940  
  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(344 KB\)](#) IEEE JNL.  
[Rights and Permissions](#)



#### 20. Circuit modeling of the emitter-wrap-through solar cell

Smith, D.D.; Gee, J.M.; Bode, M.D.; Jimeno, J.C.;  
[Electron Devices, IEEE Transactions on](#)  
 Volume 46, Issue 10, Oct. 1999 Page(s):1993 - 1999  
 Digital Object Identifier 10.1109/16.791987  
  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(256 KB\)](#) IEEE JNL.  
[Rights and Permissions](#)



#### 21. IEEE standard for medical device communications - transport profile - IrDA based - cable connected [IEEE Std 1073.3.2-2000](#)

14 April 2000  
  
[AbstractPlus](#) | Full Text: [PDF\(5592 KB\)](#) IEEE STD



Welcome United States Patent and Trademark Office

AbstractPlus

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)
[View Search Results](#) | [Previous Article](#) | [Next Article](#)
[e-mail](#) [printer friendly](#)

## Access this document

 Full Text: [PDF](#) (1416 KB)

## Download this citation

Choose [Citation & Abstract](#)Download [ASCII Text](#)» [Learn More](#)

## Information technology - telecommunications and information exchange between systems - local and metropolitan area networks - specific requirements. Amendment to Part 5: token ring access method and physical layer specifications

LAN/MAN Standards Committee of the IEEE Computer Society, USA

This paper appears in: [IEEE Std 802.5t-2000](#)

Publication Date: 10 March 2000

E-ISBN: 0-7381-0301-2

Number of Pages: viii+280

INSPEC Accession Number: 6614585

Posted online: 2002-08-06 23:04:32.0

## Abstract

This supplement specifies the changes required to ANSI/IEEE Std 802.5, 1998 Edition, (Base standard) and ANSI/IEEE Std 802.5r, 1998 Edition, and ANSI/IEEE Std 802.5j, 1998 Edition, (Amendment 1 standard) to support 100 Mbit/s dedicated token ring (DTR) operation. The Base standard, together with the Amendment 1 standard, specifies shared and dedicated (point-to-point) token ring operation at both 4 Mbit/s and 16 Mbit/s using either the TKP access protocol or the TXI access protocol. This supplement extends token ring operation to 100 Mbit/s for the DTR C-port and station using the TXI access protocol. Extensions to the medium access control (MAC) have been made to accommodate the requirements for high media rates (100 Mbit/s and above).

## Index Terms

## Inspec

## Controlled Indexing

[ANSI standards](#) [IEEE standards](#) [access protocols](#) [local area networks](#) [metropolitan area networks](#)  
[telecommunication standards](#) [token networks](#)

## Non-controlled Indexing

[100 Mbit/s](#) [16 Mbit/s](#) [4 Mbit/s](#) [ANSI/IEEE Std 802.5, 1998 Edition, \(Base standard\)](#) [ANSI/IEEE Std 802.5j, 1998 Edition, \(Amendment 1 standard\)](#) [ANSI/IEEE Std 802.5r, 1998 Edition, Amendment 1 standard](#) [Base standard C-port](#) [DTR operation](#) [IEEE Std 802.5t-2000](#) [MAC](#) [TKP access protocol](#) [TXI access protocol](#) [dedicated token ring operation](#) [medium access control](#) [physical layer specifications](#) [point-to-point token ring operation](#) [token ring access](#)

## Author Keywords

Not Available

## References

No references available on IEEE Xplore.

## Citing Documents

No citing documents available on IEEE Xplore.

[View Search Results](#) | [Previous Article](#) | [Next Article](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE - All Rights Reserved